

SpanSet secutex®

Lifting
Buffer pad
Lifting equipment

secutex coilmat

COILPROTECT

secutex-Coilprotect
secutex-Coilmats

For careful coil handling and
safe storage



secutex wire coil mat

Mat with cross grooves

The proven secutex wire coil mat reliably prevents scratches and dents. The lightweight mat can be positioned quickly. Users especially rate the new roll-off stop. The individual wire rings hook firmly into the transverse grooves, the wire bundles no longer slip and an additional bundling is no longer necessary.

Available as an option

- Oil drainage channel
- Surface made from heat-resistant secutex heat buffer pad (up to 150°C)
- Mounting holes
- Sloping head and tail pieces for forklift access.

Height [mm]	Width [mm]	Length [mm]	Coil-ø [mm]
43	400	3.000*	bis 1600
54	400	3.000*	bis 1800

Figure: secutex coil mat made from secutex heat;
heat-resistant to 140 °C

*Up to a length of 5,000 mm upon request



scutex coil mat

Flexible mat made of scutex buffer pad

The light and mobile coil mat was designed for the storage of coils. It is convenient to use. Thus makeshift storage can be set up rapidly and flexibly or existing storage can be expanded in the event of bottlenecks.

Available as an option

- Carrying handle and oil drainage channel
- Surface made from heat-resistant scutex heat buffer pad (up to 140 °C)
- Mounting holes
- Sloping head and tail pieces for forklift access.

Height [mm]	Width [mm]	Length [mm]	Coil-ø [mm]
30	400	3.000*	800-1.400
43	400	3.000*	1.000-1.600
54	400	3.000*	1.200-1.800
65	500	3.000*	1.200-2.100



Connecting element for coil mats



Coilprotect Altus

High-profile coil rack

High-profile scutex coil cradle for long-term storage of coils of various sizes. This coil rack can only be loaded with a coil hook or coil tongs.

Available as an option

- Buffer pad made from heat-resistant scutex heat buffer pad
- Coated supporting rods
- Trolley for supporting rods
- End frame for diagonal and vertical storage

1	Height [mm]	Width [mm]	Length [mm]	Coil-ø [mm]
	206	1.225	1.000	1.200-2.400
	206	1.225	1.500	1.200-2.400
	206	1.225	2.000	1.200-2.400
	206	1.225	2.500	1.200-2.400
	206	1.225	3.000	1.200-2.400

Grid of the marker poles middle/middle: 125 mm

Coilprotect Semi

Low-profile coil rack

Low-profile scutex coil cradle for long-term storage of coils of all sizes. The coil cradle may be loaded using coil hook/coil tongs as well as with a forklift truck.

Available as an option

- Buffer pad made from heat-resistant scutex heat buffer pad
- Coated supporting rods
- Trolley for supporting rods
- End frame for diagonal and vertical storage

2	Height [mm]	Width [mm]	Length [mm]	Coil-ø [mm]
	80	675	1.000	800-2.000
	80	675	1.500	800-2.000
	80	675	2.000	800-2.000
	80	675	2.500	800-2.000
	80	675	3.000	800-2.000

Grid of the marker poles middle/middle: 100 mm

